DIVERSIFIED AIR SYSTEMS, INC.

WFLO-BOB

Portable Blow-Off Booth

- Ships fully assembled, 30" wide x 24" deep work surface
- Plug and play unit, total self-contained downdraft booth
- LED light mounted out of air stream




- Ventless, recirculates clean air, which eliminates the need for expensive exhaust
- Motor and electrical mounted out of air stream with spark resistant blower wheel
- High efficiency media filters with refillable adsorption modules

Superior technology generating substantial operating savings

MAXFLO PORTABLE BLOW-OFF BOOTH

Diversified Air Systems, Inc. now offers an easy to use portable blow-off booth. The MAXFLO-BOB is a totally self-contained portable filtration unit. Standard filtration consist of multiple pass polyester pre-filters followed by a MERV 14 (95% at 1 micron) box filter with final refillable adsorption module. Separate access door allows for easy access to filters. The motor is mounted out of the air stream with direct drive spark resistant blower wheel. LED light, on/off switch and wiring are all located out of the airstream. Just roll the unit to your job, plug it in and turn it on.

OUTSTANDING STANDARD MAXFLO-BOB FEATURES



TYPICAL APPLICATION FOR THE MAXFLO BLOW-OFF BOOTH

• Spray Painting • Solvent Fumes/Mist • Dust • Fumes • Laboratories • Powders • Blow Off Station, etc...

Made in USA
1 YEAR LIMITED WARRANTY

CALL TODAY: 800-264-8958





SPECIFICATIONS

Dimensions: 30" W x 39" D x 74" H

Working Table Height: 41"

Working Surface: 30" Width x 24" Depth

Electrical: 1 HP Motor, 120/1/60

Direct Drive Motor with Spark Resistant Blower Wheel

CFM: 1000 CFM Nominal

Downdraft Velocity: 200 FPM Nominal

Weight: 500 lbs.

Max Table Load: 300 PSF Noise: 70 DBA Nominal

Construction: 14 Gauge Cabinet Color: Powder Coated Gray

OPTIONAL FEATURES

- Steel bar grate
- Large enclosure 4' wide x 2' deep
- HEPA filtration
- 1.5 HP motor 1900 CFM Nominal
- Additional Absorption Modules
- Aluminum Mesh Filters
- Polyester Table Top Filter
- Exhaust Damper
- 1' Square Table Extensions
- LED Light

Note: Specifications listed above may be modified to suit application. contact D.A.S. or representative for information.

Diversified Air Systems, Inc.

10801 Electron Drive, Louisville, Kentucky 40299

Toll free: (800) 264-8958

Tel.: (502) 267-0333 • Fax: (502) 267-4241
Website: www.diversair.com • email: info@diversair.com