











Vacuum Ready Orbital Sanders:

3" Vac Ready Orbital Sander	Part No.	Description:
	MAX-AVT-S3230000	AirVantage 3" 3H 12000RPM (3/16 Orbit) Vac Ready Sander with 3/4" x 5' whip hose
Vac Ready Orbital Sander (1" Hose with Super Suction)	Part No.	Description:
	MAX-EUR-A5600316	AirVantage 5" 6H 12000RPM (3/16 Orbit) Random Orbital Sander – Hook Pad - Accepts 1" hose cuff
	MAX-EUR-A6800316	AirVantage 6" 8H 12000RPM (3/16 Orbit) Random Orbital Sander – Hook Pad - Accepts 1" hose cuff
Vac Ready Orbital Sander (3/4" Light Weight Hose)	Part No.	Description:
	MAX-EUR-A55HLP16	AirVantage 5" 5H 12000RPM (3/16 Orbit) Random Orbital Sander with 3/4" x 5' whip hose
	MAX-EUR-A66HLP16	AirVantage 6" 6H 12000RPM (3/16 Orbit) Random Orbital Sander with 3/4" x 5' whip hose
Orbital Notes:		
Specify your preference of vinyl, hook & loop or multi hole 3/16" orbit is the standard tool provided – 3/32" & 5/16" orbits are available upon request		
5/16" - Body Area - Most aggressive sanding pattern - Lower grits (i.e. 80 grit)	3/16" - Body Area - Most aggressive sanding pattern - Lower grits (i.e. 80 grit)	3/32" - Prep Area - Finer, less aggressive sanding pattern - Higher grits (i.e. 400 & 600 grit)





Vacuum Ready Jitterbug Sanders:

3" Vac Ready Orbital Sander	Part No.	Description:
	MAX-AVT-S3720000	AirVantage 3 2/3" x 7" Jitterbug VA 10H Vinyl Pad with 3/4" x 5' whip hose
	MAX-AVT-S3721000	AirVantage 3 2/3" x 7" Jitterbug VA 10H Hook & Loop Pad with 3/4" x 5' whip hose
Vac Ready Orbital Sander (1" Hose with Super Suction)	Part No.	Description:
	MAX-ATO-45980SRP	Sioux GO459-80SRP 8" 9 Hole DA Sander and Vinyl Pad - Accepts a 1" and 1 1/4" hose cuff
	MAX-ATO-45980SRH	Sioux GO459-80SRP 8" 9 Hole DA Sander and Hook Pad - Accepts a 1" and 1 1/4" hose cuff
	MAX-NAT-900DE000	National Detroit 900DE 8" 8 Hole DA Sander and Vinyl Pad - Accepts a 1" and 1 1/4" hose cuff
	MAX-NAT-900DEH00	National Detroit 900DE 8" 8 Hole DA Sander and Hook Pad - Accepts a 1" and 1 1/4" hose cuff
***Hose not included with above tools. Vacuum port is 1 1/4"		
***Suggested Whip Hose:		
	MAX-030-45610105	1" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1" to 1 1/4" Cuff (MAX-UNE-10012EBS), 1/4 Air




Vacuum Ready Longboard Sanders:

3" Vac Ready Orbital Sander	Part No.	Description:
	MAX-HUT-49200000	Hutchins 2000VA 2-3/4" x 16" Straightline 18H Sander Vinyl Pad
	MAX-HUT-4920H	Hutchins 2000VA 2-3/4" x 16" Straightline 18H Sander Hook & Loop Pad
***Hose not included with above tools. Vacuum port is 1 1/4" ***Suggested Whip Hose:		
	MAX-030-4567605	3/4" x 5' SC Black (1-1/4" Adaptor) Hose w/ 3/4" Cuff, 1/4" Air Requires the removal of the blue Hutchins cuffs. 3/4" whip hose connects right to metal take-off on tool - This whip hose is highly recommended because it makes the set up static conductive (the blue Hutchins cuff is not static conductive)
	OR	
MAX-030-45610105	1" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1" to 1 1/4" Cuff (MAX-UNE-10012EBS), 1/4" Air - Make the following note when ordering: MAX-UNE-10012EBS 1 1/4" SC Cuff needed to be added to end of above hose	
Orbital Vac Ready Sander	Part No.	Description:
	MAX-HUT-4932H000	Hutchins 800VA Orbital File Hook Pad
***Hose not included with above tools. Vacuum port is 1 1/4" ***Suggested Whip Hose:		
	MAX-030-4567605	3/4" x 5' SC Black (1-1/4" Adaptor) Hose w/ 3/4" Cuff, 1/4" Air Requires the removal of the blue Hutchins cuffs. 3/4" whip hose connects right to metal take-off on tool - This whip hose is highly recommended because it makes the set up static conductive (the blue Hutchins cuff is not static conductive)
	OR	
MAX-030-45610105	1" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1" to 1 1/4" Cuff (MAX-UNE-10012EBS), 1/4" Air - Make the following note when ordering: MAX-UNE-10012EBS 1 1/4" SC Cuff needed to be added to end of above hose	

Vacuum Ready Handsanders Sanders:

15 3/4" Vac Ready Handsander	Part No.	Description:
	MAX-EUR-HS0150VA	2 3/4" x 15 3/4" Vac Assist Hook Handsander - Accepts 3/4" hose cuff - This sander requires 8' handsander hose
7 3/4" Vac Ready Handsander	Part No.	Description:
	MAX-EUR-HS0070VA	2 3/4" x 7 3/4" Vac Assist Hook Handsander - Accepts 3/4" hose cuff - This sander requires 8' handsander hose
6 3/4" & 7 1/2" Vac Ready Handsander	Part No.	Description:
	MAX-EUR-HS0050VA	2 3/4" x 5" Vac Assist Hook Handsander - Accepts 3/4" hose cuff - This sander requires 8' handsander hose
Handsander Hose for 1400, 1411, & 1405 Series	Part No.	Description:
	MAX-EEZ-101210SC	3/4" x 8' (to 1-1/4") SC Handsander Hose

Vacuum Ready Pneumatic Rotary Sanders:

2" Vac Ready Sander	Part No.	Description:
	MAX-SIO-TB5055A2	Sioux 5055A 2" 20000RPM Light Duty Roloc Grinder 1" Vacuum Take-off (3/4 Brush Provided Loose)
	MAX-SIO-TB1DA322	Sioux 1DA321 2" 12000RPM Heavy Duty Roloc Grinder 1" Vacuum Take-off (3/4 Brush Provided Loose)
3" Vac Ready Sander	Part No.	Description:
	MAX-SIO-TB5055A3	Sioux 5055A 3" 20000RPM Light Duty Roloc Grinder 1" Vacuum Take-off (3/4 Brush Provided Loose)
	MAX-SIO-TB1DA323	Sioux 1DA321 3" 12000RPM Heavy Duty Roloc Grinder 1" Vacuum Take-off (3/4 Brush Provided Loose)
Suggested Whip Hose For Above Sanders:	Part No.	Description:
	MAX-030-45610105	1" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1" Cuff, 1/4" Air

Vacuum Ready Pneumatic Rotary Sanders: (continued)

4" to 8" Resin Cloth Rotary Sander	Part No.	Description:
	MAX-EUR-5265V400	Sioux #5265 7000RPM 4" 8 Hole Sander
	MAX-EUR-5265V5	Sioux #5265 7000RPM 5" 8 Hole Sander
	MAX-EUR-45006160	Eurovac 4500RPM 6" 16H Resin Cloth Sander
	MAX-EUR-52388160	Sioux #5238 3000RPM 8" 16H Sander
	MAX-EUR-45008160	Eurovac 4500RPM 8" 16H Resin Cloth Sander
***Suggested Whip Hose For 4" & 5"	Part No.	Description:
	MAX-030-45612805	1 1/4" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1-1/4" to 1 1/2" Cuff (MAX-UNE-12515EBS), 3/8" Air
***Suggested Whip Hose For 6" & 8"	Part No.	Description:
	MAX-030-45615005	1 1/2" x 5' SC Black (1-1/2" Adaptor) Hose w/ 1-1/2" Cuff, 3/8" Air
6" Fiber Disc Rotary Sander	Part No.	Description:
	MAX-EUR-5265V4F0	Sioux #5265 7000RPM 4" 8 Hole Fiber Disc Sander
	MAX-EUR-45006140	Eurovac 4500RPM 6" 14H Fiber Disc Grinder
***Suggested Whip Hose For 6" & 8"	Part No.	Description:
	MAX-030-45615005	1 1/2" x 5' SC Black (1-1/2" Adaptor) Hose w/ 1-1/2" Cuff, 3/8" Air
6" Vac Ready Sander (With Brush Shrouds)	Part No.	Description:
	MAX-SIO-TBE52654	Sioux #5265 7000RPM 4" 8 Hole Sander w/ add'l brush shroud
	MAX-SIO-TBE52655	Sioux #5265 7000RPM 5" 8 Hole Sander w/ add'l brush shroud
	MAX-EUR-4500616B	Eurovac 4500RPM 6" 16H Grinder w/ add'l brush shroud
	MAX-EUR-4500614B	Eurovac 4500RPM 6" 14H Fiber Disc Grinder w/ add'l brush shroud
***Suggested Whip Hose For 4" & 5"	Part No.	Description:
	MAX-030-45612805	1 1/4" x 5' SC Black (1-1/4" Adaptor) Hose w/ 1-1/4" to 1 1/2" Cuff (MAX-UNE-12515EBS), 3/8" Air
***Suggested Whip Hose For 6" & 8"	Part No.	Description:
	MAX-030-45615005	1 1/2" x 5' SC Black (1-1/2" Adaptor) Hose w/ 1-1/2" Cuff, 3/8" Air

Electric Rotary Sanders:





MAXFLO™ HIGH VACUUM TOOLS

Electric Grinders	Part No.	Description:
	MAX-EUR-D2840248	Dewalt #D2840248 4" 8H Fiber Disc Grinder
	MAX-MAK-T9015DBB	Makita #9015DB 5" Walter Brush Grinder
	MAX-MIL-T60657B0	Milwaukee #6065 7" Brush Grinder
Suggested Whip Hose For Above Sanders:	Part No.	Description:
	MAX-030-45615005	1 1/2" x 5' SC Black (1-1/2" Adaptor) Hose w/ 1-1/2" Cuff, 3/8" Air


Vacuum Ready Pnuematic Trimmers:

2" Trimmers	Part No.	Description:
	MAX-DIA-10200000	Diatrim 2" #10-2 Trim Saw: <ul style="list-style-type: none"> - 7/16" Cutting Depth - Air Consumption: 15 CFM 90 PSI - Weight: 1 3/4 lbs – RPM 19,000
3" Trimmers	Part No.	Description:
	MAX-DIA-10300000	Diatrim 3" #10-3 Trim Saw: <ul style="list-style-type: none"> - 1/2" Cutting Depth - Air Consumption: 19 CFM 90 PSI - Weight: 3 lbs – RPM 12,000
4" Trimmers	Part No.	Description:
	MAX-DIA-10400000	Diatrim 4" #10-4 Trim Saw: <ul style="list-style-type: none"> - Includes an extra trimmer blade - 1" Cutting Depth - Air Consumption: 23 CFM 80 PSI - Weight: 4 lbs – RPM 12,700
	MAX-SIO-TT526540	Sioux 5265 4" "Euro" Trimmer Tool
5" Trimmers	Part No.	Description:
	MAX-DIA-10500000	Diatrim 5" #10-5 Trim Saw: <ul style="list-style-type: none"> - Includes an extra trimmer blade – 1-1/2" Cutting Depth - Air Consumption: 23 CFM 80 PSI - Weight: 5 lbs – RPM 12,700
6" Trimmers	Part No.	Description:
	MAX-DIA-1060X000	Diatrim 6" #10-6 Excalibur Trim Saw: <ul style="list-style-type: none"> - 1-5/8" Cutting Depth - Air Consumption: 44 CFM 90 PSI - Weight: 7.5 lbs – RPM 12,000
	MAX-DIA-1065X000	Diatrim 6 1/2" #10-2 Trim Saw: <ul style="list-style-type: none"> - 2" Cutting Depth - Air Consumption: 44 CFM 90 PSI - Weight: 7.5 lbs – RPM 12,000



Routers & Backfacers Vacuum Ready Pneumatic:

	Part No.	Description:
	MAX-DIA-30SE5000	Diatrim #30-SE6 Pneumatic Router
	Part No.	Description:
	MAX-DIA-20BF10	Diatrim #20BF10 Backfacing Unit w/ Suction
	MAX-DIA-20BF15	Diatrim #20BF15 Backfacing Unit w/ Suction
	Part No.	Description:
	MAX-GEM-0BWHSC000	Gem BM-HS 11" Random Orbital Sander (Hose not included)


Vacuum Ready Hole Saws:

	Part No.	Description:
	MAX-SIO-EUR14541	Sioux #1454ES 2600RPM 3/8" Drill & 2.75" Hole Saw "Euro" Kit
	MAX-SIO-EUR14510	Sioux #1451ES 2000RPM 3/8" Drill & 2.75" Hole Saw "Euro" Kit


Vacuum Welding Guns:

	Part No.	Description:
	MAX-TBI-0024E030	TBI 240e 3m 240A Fume Ex Mig Gun Euro
	MAX-TBI-0024E040	TBI 240e 4m 240A Fume Ex Mig Gun Euro
	MAX-TBI-0024E050	TBI 240e 5m 240A Fume Ex Mig Gun Euro
	Part No.	Description:
	MAX-WEL-005A150	6" x 6" Spark Arrestor 1 1/2" I/O

Vacuum Circular Saws:

	Part No.	Description:
	MAX-MAK-5057KB00	Makita Circular Saw with Dust Collector

Vacuum Ready Belt Sanders:

	Part No.	Description:
	MAX-POR-TP363000	P/R #363 4" x 24" Beltsander with "Euro" Kit