


MAXFLO[™] DB-30: Portable Downdraft Booth



KEY FEATURES

- Typical applications: Welding, Grinding, Sanding, Dust, Mist, Smoke, Powders, Lint, Fibers etc.
- Ships fully assembled, 48" wide x 24" deep work surfaces, optional 1' modular table extensions
- Plug and play unit, total self-contained downdraft booth
- LED light mounted out of air stream
- Ventless, recirculates clean air, which eliminates the need for expensive exhaust
- High efficiency media filters with optional refillable adsorption module and 99.97% HEPA Filter

*Superior technology generating
substantial operating savings*



ONE YEAR
LIMITED WARRANTY



DIVERSIFIEDAIR
SYSTEMS

MAXFLO IS A TRADEMARK OF
DIVERSIFIED AIR SYSTEMS

MAXFLO PORTABLE DOWNDRAFT BOOTH

Diversified Air Systems, Inc. now offers an easy-to-use portable downdraft booth. The MAXFLO-DB is a totally self-contained portable filtration unit. Standard filtration consists of aluminum mesh pre-filters followed by a MERV 14 (95% at 1 micron) box filter. Separate access door allows for easy access to filters. The motor is mounted out of the air stream with direct drive spark resistant blower wheel. LED light, on/off switch and wiring are all located out of the airstream. Just roll the unit to your job, plug it in and turn it on.

TYPICAL APPLICATION FOR THE MAXFLO DOWNDRAFT BOOTH

- Welding
- Sanding
- Powders
- Smoke, etc
- Grinding
- Dust
- Mist

OUTSTANDING STANDARD MAXFLO-DB FEATURES



**ONE YEAR
LIMITED WARRANTY**

CALL TODAY: 800.264.8958

MAXFLO is a trademark of Diversified Air Systems

OUTSTANDING STANDARD MAXFLO DB FEATURES



SPECIFICATIONS

Dimensions	30" W × 39" D × 74" H
Working Table Height	41"
Working Surface	30" Width x 24" Depth
Electrical	1.0 HP Motor, 120/1/60
Direct Drive Motor with Plastic Blower Wheel	✓
Motor Mounted Out of Airstream	✓
CFM	1000 CFM Nominal
Downdraft Velocity	200 FPM Nominal
Weight	500lbs
Max Table Load	300PSF
Noise	70 DBA Nominal
Construction	14 Gauge Cabinet
Color	Powder Coated Grey

OPTIONAL FEATURES

- Fluorescent Light
- Polyester Filters
- Steel Bar Grate
- Custom Size Booths
- HEPA Filtration
- Variable Frequency Drives
- Absorption Modules
- Modular 1' Square Table Extensions
- Outrigger (4) 5" Swivel & Locking Casters
- Exhaust Dampers

MAXFLO-DB STANDARD FILTER ARRANGEMENT

- (1) 1" Aluminum Mesh Prefilter
- (1) 95% @ 1 Micron (MERV 14) Fiberglass Box Filter, 58 sq. ft.

Diversified Air Systems, Inc

5900 Concord Avenue Crestwood KY 40014
Toll free: 800.264.8958 // Phone: 502.267.0333 // Fax: 502.267.4241
www.maxfloair.com // info@maxfloair.com

Note: Specifications listed above may be modified to suit application. Contact D.A.S. or representative for information.

Continuous product improvement is a policy of D.A.S. Inc. Product features and specifications may be modified without prior notice.



**ONE YEAR
LIMITED WARRANTY**

CALL TODAY: 800.264.8958

MAXFLO is a trademark of Diversified Air Systems