

MAXFLO-FB48: Portable Fume/Paint Booth



KEY FEATURES

- Ships fully assembled, 48" wide x 24" deep work surface
- Plug and play unit, total self-contained downdraft booth
- LED light mounted out of air stream
- Ventless, recirculates clean air, which eliminates the need for expensive exhaust
- Motor and electrical mounted out of air stream with plastic blower wheel
- High efficiency media filters with refillable adsorption modules

*Superior technology generating
substantial operating savings*



ONE YEAR
LIMITED WARRANTY



DIVERSIFIEDAIR
SYSTEMS

MAXFLO IS A TRADEMARK OF
DIVERSIFIED AIR SYSTEMS

MAXFLO PORTABLE PAINT BOOTH

Diversified Air Systems, Inc. now offers an easy to use portable fume/paint booth. The MAXFLO-FB48 is a totally self-contained portable filtration unit. Standard filtration consist of multiple pass polyester pre-filters followed by a MERV 14 (95% at 1 micron) box filter with final refillable charcoal module. Separate access door allows for easy access to filters. The motor is mounted out of the air stream with direct drive non-sparking blower wheel. LED light, on/off switch and wiring are all located out of the airstream. Just roll the unit to your job, plug it in and turn it on.

TYPICAL APPLICATIONS FOR THE MAXFLO PORTABLE FUME/PAINT BOOTH

- Spray Painting
- Dust
- Laboratories
- Blow Off Station, etc
- Solvent Fumes/Mist
- Fumes
- Powders

OUTSTANDING STANDARD MAXFLO FUME BOOTH FEATURES



ONE YEAR
LIMITED WARRANTY

CALL TODAY: 800.264.8958

MAXFLO is a trademark of Diversified Air Systems

OUTSTANDING MAXFLO FB SERIES FEATURES



SPECIFICATIONS

Dimensions	48" W x 39" D x 74" H
Working Table Height	41"
Working Surface	48" Width x 24" Depth
Electrical	1.5 HP Motor, 120/1/60
Direct Drive Motor with Plastic Blower Wheel	✓
Motor Mounted Out of Airstream	✓
CFM	1900 CFM Nominal
Downdraft Velocity	250 FPM Nominal
Weight	610 lbs.
Max Table Load	300 PSF
Noise	73 DBA Nominal
Construction	14 Gauge Cabinet
Color	Powder Coated Gray

OPTIONAL FEATURES

- Exhaust Dampers
- Variable Frequency Drives
- Custom Size Booths
- HEPA Filtration
- 2" Table Top Polyester Pads
- Modular 1' Square Table Extension

MAXFLO-FB STANDARD FILTER ARRANGEMENT

- (1) 1" Polyester Pad Prefilter
- (1) 95% @ 1 Micron (MERV 14) Fiberglass Box Filter, 58 sq. ft.
- (2) Adsorption Modules, 26 lbs. each, refillable, 6" total bed depth, 100% fill, 52 lbs. activated carbon included
- (1) 1" Polyester Pad After Filter

Diversified Air Systems, Inc
 5900 Concord Avenue Crestwood KY 40014
 Toll free: 800.264.8958 Phone: 502.267.0333 // Fax: 502.267.4241
www.maxfloair.com // info@maxfloair.com

Note: Specifications listed above may be modified to suit application. Contact D.A.S. or representative for information.

Continuous product improvement is a policy of D.A.S. Inc. Product features and specifications may be modified without prior notice.



ONE YEAR LIMITED WARRANTY

CALL TODAY: 800.264.8958

MAXFLO is a trademark of Diversified Air Systems