


MAXFLO™ FB30: Portable Fume/Paint Booth



KEY FEATURES

- Ships fully assembled, 30" wide and 24" deep work surface
- Plug and play unit, total self-contained downdraft booth
- Dust tight LED light mounted out of airstream
- Recirculates clean air, which eliminates the need for expensive exhaust
- High efficiency media filters with a refillable adsorption module
- Motor and electrical mounted out of airstream with plastic blower wheel

*Superior technology generating
substantial operating savings*



ONE-YEAR
LIMITED WARRANTY



DIVERSIFIEDAIR
SYSTEMS

MAXFLO IS A TRADEMARK OF
DIVERSIFIED AIR SYSTEMS

MAXFLO PORTABLE FUME/PAINT BOOTH

Diversified Air Systems, Inc. now offers an easy to use portable fume/paint booth. The MAXFLO-FB is a totally self-contained portable filtration unit.

TYPICAL APPLICATIONS FOR THE MAXFLO PORTABLE FUME/PAINT BOOTH

- Spray Painting
- Dust
- Laboratories
- Blow Off Station
- Solvent Fumes/Mist
- Fumes
- Powders

OUTSTANDING STANDARD MAXFLO FUME/PAINT BOOTH FEATURES



ONE-YEAR
LIMITED WARRANTY

CALL TODAY: 1-800-264-8958

MAXFLO is a trademark of Diversified Air Systems

OUTSTANDING MAXFLO FB SERIES FEATURES



SPECIFICATIONS

Dimensions	30" W x 39" D x 74" H
Working Table Height	41"
Working Surface	30" W x 24" D
Electrical	1.0 HP Motor, 120/1/60
Direct-Drive Motor with Plastic Blower Wheel	✓
Motor Mounted Out of Airstream	✓
CFM	1000 CFM Nominal
Downdraft Velocity	250 FPM Nominal
Weight	500 lbs
Max Table Load	300 PSF
Noise	70 dBA Nominal
Construction	14 Gauge Cabinet
Color	Powder Coated Grey

MAXFLO-FB STANDARD FILTER ARRANGEMENT

Standard filtration consists of multiple pass polyester pre-filters followed by a MERV 14 (95% at 1 micron) box filter with final refillable charcoal module. A separate door provides easy access to filters. The motor is mounted out of the airstream with direct-drive non-sparking blower wheel. LED light, on/off switch and wiring are all located out of the airstream. Just roll the unit to your job, plug it in and turn it on.

OPTIONAL FEATURES

- Exhaust Dampers
- Variable Frequency Drives
- Large Enclosure: 48" W x 24" D
- HEPA Filtration
- 1.5 HP motor, 1900 CFM Nominal
- Modular 1' Table Extension

Diversified Air Systems, Inc.

5900 Concord Avenue
Crestwood KY 40014

Toll free: 800-264-8958

Phone: 502-267-0333

Fax: 502-267-4241

www.maxfloair.com

info@maxfloair.com

Note: Specifications listed above may be modified to suit application. Contact D.A.S. or representative for information.

Continuous product improvement is a policy of D.A.S. Inc. Product features and specifications may be modified without prior notice.



**ONE-YEAR
LIMITED WARRANTY**

CALL TODAY: 1-800-264-8958

MAXFLO is a trademark of Diversified Air Systems