

MAXFLO[™] FB48: Portable Fume/Paint Booth



KEY FEATURES

- Ships fully assembled, 48" wide x 24" deep work surface
- Plug and play unit, total self-contained downdraft booth
- Dust tight LED light mounted out of airstream
- Ventless, recirculates clean air, which eliminates the need for expensive exhaust
- High efficiency media filters with refillable adsorption modules
- Motor and electrical mounted out of airstream with plastic blower wheel

*Superior technology generating
substantial operating savings*



ONE-YEAR
LIMITED WARRANTY



DIVERSIFIEDAIR
SYSTEMS

MAXFLO IS A TRADEMARK OF
DIVERSIFIED AIR SYSTEMS

MAXFLO PORTABLE FUME/PAINT BOOTH

Diversified Air Systems, Inc. now offers an easy-to-use portable fume/paint booth. The MAXFLO-FB48 is a totally self-contained portable filtration unit. Standard filtration consists of multiple pass polyester pre-filters followed by a MERV 14 (95% at 1 micron) box filter with final refillable charcoal module. A separate door provides easy access to filters. The motor is mounted out of the airstream with direct-drive spark-resistant blower wheel. LED light, on/off switch and wiring are all located out of the airstream. Just roll the unit to your job, plug it in and turn it on.

TYPICAL APPLICATIONS FOR THE MAXFLO PORTABLE FUME/PAINT BOOTH

- Spray Painting
- Dust
- Laboratories
- Blow Off Station
- Solvent Fumes/Mist
- Fumes
- Powders

OUTSTANDING STANDARD MAXFLO FUME/PAINT BOOTH FEATURES




**ONE-YEAR
LIMITED WARRANTY**

CALL TODAY: 1-800-264-8958

MAXFLO is a trademark of Diversified Air Systems

OUTSTANDING MAXFLO FB SERIES FEATURES



SPECIFICATIONS

Dimensions	48" W x 39" D x 74" H
Working Table Height	41"
Working Surface	48" Width x 24" Depth
Electrical	1.5 HP Motor, 120/1/60
Direct-Drive Motor with Plastic Blower Wheel	✓
Motor Mounted Out of Airstream	✓
CFM	1900 CFM Nominal
Downdraft Velocity	250 FPM Nominal
Weight	610 lbs.
Max Table Load	300 PSF
Noise	73 dBA Nominal
Construction	14 Gauge Cabinet
Color	Powder Coated Gray

OPTIONAL FEATURES

- Exhaust Dampers
- Variable Frequency Drives
- Custom Size Booths
- HEPA Filtration
- 2" Table Top Polyester Pads
- Modular 1' Square Table Extension

MAXFLO-FB STANDARD FILTER ARRANGEMENT

- (1) 1" Polyester Pad Prefilter
- (1) 95% @ 1 Micron (MERV 14) Fiberglass Box Filter, 58 sq. ft.
- (2) Adsorption Modules, 26 lbs. each, refillable, 6" total bed depth, 100% fill, 52 lbs. activated carbon included
- (1) 1" Polyester Pad After Filter

Diversified Air Systems, Inc.

5900 Concord Avenue Crestwood KY 40014

Toll free: 800-264-8958 // Phone: 502-267-0333 // Fax: 502-267-4241

www.maxfloair.com // info@maxfloair.com

Note: Specifications listed above may be modified to suit application. Contact D.A.S. or representative for information.

Continuous product improvement is a policy of D.A.S. Inc. Product features and specifications may be modified without prior notice.



**ONE-YEAR
LIMITED WARRANTY**

CALL TODAY: 1-800-264-8958

MAXFLO is a trademark of Diversified Air Systems